

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	9	385/14,42,49,129-131.ccls. and mount\$3 and arm and (link\$3 or connect\$3) and parallel and angle and deform\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/26 17:42
S6	4	S1 and pad	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/26 17:36
S7	6	S1 and lens	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/26 17:49
S8	9	S1 and fiber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/26 17:43
S10	5	S1 and ((input and output) or IO or I/O)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/26 17:46
S11	6	S1 and adhesive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/26 17:49
S12	6	S1 and adhesive and align\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/26 17:50
S13	6	S1 and adhesive and align\$4 and force	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/26 17:50
S14	5	S1 and adhesive and align\$4 and force and cure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/26 17:50
S15	2	S1 and adhesive and align\$4 and force and cure and liquid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/26 17:50

S17	9	385/14,42,49,129-131.ccls. and mount\$3 and arm and (link\$3 or connect\$3) and parallel and angle and deform\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/27 09:52
S18	9	S17 and fiber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/27 09:52
S20	6	S18 and (trench or gap or slit or slot or groove or canyon or crater)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/27 09:59
S23	6955	mount\$3 same trench	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/27 10:02
S24	2935	mount\$3 same trench same support\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/27 10:03
S26	706	mount\$3 same trench same support\$3 same angle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/27 10:04
S27	274	mount\$3 same trench same support\$3 same angle same arm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/27 10:06
S28	70	mount\$3 same trench same support\$3 and lens	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/27 10:33
S29	24	"20020094185" "20020070045" "20030138219" "6519099".pn. "6661951".pn. "6793406".pn. "6477056".pn. "6663296".pn. "6795461".pn. "6893170".pn. "6758611".pn. "6445858".pn. "6440776".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/27 10:35
S30	1	(US-20020094185-\$).did.	US-PGPUB	OR	ON	2005/04/27 10:37

S32	1	S30 and (mount\$3 and arm and angle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/27 11:14
S34	17	(DA or D/A) adj tip	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/27 11:53
S35	7237	mount\$3 with lens with align\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/27 11:53
S36	327	mount\$3 with lens with align\$4 with arm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/27 11:55
S39	24	mount\$3 with lens with align\$4 with arm with angle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/27 15:18
S40	542	mount\$3 and (trench impression)and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/27 15:19
S41	12	optoelectronic and mount and trench and arm and angle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/27 15:24
S43	11	optoelectronic and mount and trench and arm and angle and align\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/27 15:57
S44	1279	385/52,80.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/27 15:58
S45	461	S44 and lens	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/27 15:58

S46	387	S45 and align\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/27 15:58
S47	82	S46 and deform\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/27 16:07
S48	2050	lens and align\$4 and mount\$3 and optoelectronic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/27 16:07
S49	172	lens same align\$4 same mount\$3 same optoelectronic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/27 17:46